


# —KEEPIN' IT— COOL

2026 A/C BUYING GUIDE  
SALE ENDS AUGUST 31, 2026



MC 21200-A  
Blower Fan – 1200 CFM



MC 289772-CL  
R134a Aluminum Manifold Gauge Set



RO 34788NI  
Premier R-134A Refrigerant Recovery,  
Recycling, & Recharging Machine



FJC 6891  
Shotgun Dye Injection System Kit



PPR PPRTEMPKIT  
Dual Zone Digital Wireless Thermometer



MXX MXN03365  
WorkStar® SCRUTINEER 365nm  
UV Pistol-Grip Inspection Light  
Powerful 365nm UV Beam – 2800mW  
output with 28,000µW intensity at 15'.





## LEAKFINDER®



### DY LF500CS LEAKFINDER® UV Lamp Violet Light LED Leak Detection Flashlight

- Inspection range 5 feet
- Compact violet lamp works with all leak detection dyes
- 3 "AAA" Batteries included

## TRACERLINE®



### DY TPOPUV OPTI-PRO™ UV Plus Cordless Violet LED Flashlight

- Powerful, effective and full of features
- Complete with an adjustable focus lens, high/low lighting and strobe light.



### DY TPOPUVMR TPOPUVMR OPTI-PRO™ UV MAX R The Most Powerful Leak Detection Flashlight On The Market

- 5+ hour runtime
- 35 foot inspection range
- Wide, narrow, and strobe beam
- USB rechargeable li-ion battery



### DY TPOPUV Cordless Violet LED Flashlight

Comes complete with a powerful violet light LED and adjustable focus lens to identify leaks with ease.

## UViVIEW



### UV EW40395 UViView® Phazer™ BLACK 395 | UV Leak Detection Light Rechargeable

- High Output True UV LED light
- UV POWERATING 4789
- Precise, true UV wavelength and bandwidth to optimize the fluorescence of UV dyes.
- Maintains constant power output throughout the charge.
- An adjustable zoom lens
- Rechargeable Lithium-Ion Battery
- Includes UV-enhancing glasses
- 1 Year manufacturer's limited warranty

## MAXXEON®

### MXX MXN01025 WorkStar® LumaStik® Combo UV – White Beam Inspection Light

- UV Light: 395nm, 630mW – 5 minutes (one cycle)
- Floodlight: (High) 800lm/2hr30min; (Low) 150lm/8hr
- Spotlight: 150lm/8hr
- Powerful integrated magnets
- Easy-to-use USB-C charger connection (cable included)
- Durable high impact plastic and aluminum construction



## TRACERLINE®

### DY TP9770-8 BigEZ™ A/C Dye for Universal/Ester

- 8 oz BigEZ™ Universal/Ester cartridge
- Compatible with R-1234yf, R-134a, and other widely used refrigerants
- Multi-dose, services up to 64 vehicles



### DY TP3400-1P6 UV Fluorescent Dye

- (6) 1 oz bottles, services up to 6 vehicles
- For all circulating oil-based fluid systems
- Patented, full-spectrum formulation. Works with all leak detection lights. Dye fluoresces yellow-green



## ROBINAIR®

### RO LD7 Premium Refrigerant Leak Detector

- Color display with graphics and visual alerts
- UV and Clear LED inspection lights
- Automatic and manual calibration
- Automatic calibration and reset to ambient
- 3 Adjustable sensitivity levels
- Uses 4 "AA" alkaline batteries

MADE IN THE USA



## Mastercool® "World Class Quality"



### MC 53518-UV Rechargeable UV Flashlight

- High intensity LED
- Battery life: 3 to 5 hrs
- 2 Illumination Modes
- 154 - 170 μW/cm2 which is compatible to a 50 watt UV flashlight
- Twist the handle to zoom the UV light in or out
- "AAA" battery holder provides backup power to flashlight

## Mastercool® "World Class Quality"



### MC 55900 Intelli Sense II Refrigerant Leak Detector

- Certified to Meet J2791 (R134A), J2913 (R1234YF) & EN 14624
- Detects all refrigerants
- Heated tin oxide element, 2,000 hour sensor life
- 3 Sensitivity levels

### MC 56200 Raptor Refrigerant Leak Detector with UV Blue Light

- Digital signal micro processor
- Visual leak level indicator
- Variable frequency audible alarm
- 6 Levels of Sensitivity (15 Levels of Detection)
- Detects leaks as small as 1/10 oz per year
- Detects all refrigerants (CFC's, HCFC's, HFC's)
- Meets and exceeds SAE J1627
- Powered by (2) "C" batteries (included)
- Probe: Flexible 16" (43 cm)
- Packed in a blow molded case with UV glasses





### UV 471500A

#### Spotgun™ System Kit

- Services Up to 64 Vehicles
- SAE-J2297 certified and OEM approved dye!
- Specially formulated to protect all hybrid AC system components (including electrically driven compressors)
- **Includes:** Spotgun™ injector with R12 and R134a adapters, A/C ExtenDye cartridge (8 oz/240 mL) and Service stickers
- Lifetime warranty



### UV 471500YF

#### Spotgun™ R-1234yf Injection Kit

- Certified to Meet SAE J2297 for use in R-134a/PAG and R-1234yf/PAG systems.
- Services up to 64 vehicles.
- Hybrid safe
- **Includes:** Spotgun™ injector with R-1234yf adapter, A/C ExtenDye cartridge (8 oz/240 mL) and Service stickers
- Lifetime warranty



#### Spotgun Universal Oil//Dye Kits

- R-12 and R-1234yf valve adapters
- R-134a and R-1234yf couplers
- (2) Hose Assemblies SPOTGUN™
- Universal oil cartridge (8 oz) and Extendye™ cartridge (8 oz)

MADE IN THE USA

PART #	DESCRIPTION
UV 490100	Starter Kit
UV 490200	Master Kit With UV Phazer™ Black & UV enhancing glasses



### UV 499108A

#### Spotgun A/C ExtenDye™ Cartridge, 8 oz

Services up to 64 Vehicles



### UV 399020A

#### A/C ExtenDye™ 4 Pk. 1 oz Dye Cartridges

- Services up to 40 Vehicles
- SAE J2297 Certified
- Enhanced additive package that boosts performance and increases longevity of the A/C system



### UV 488046YF

#### PAG Oil Cartridge 1234YF (8oz)

- For use with Spotgun, the world's most popular and professional injection method. Pull the trigger to inject a precise amount of oil and you're done!
- For use in R-1234yf systems and is backward compatible for use in R-134a and R-12 systems.
- PAG 46 HFO Oil – (6) cartridges (8 oz/240 mL)



### UV 399046YF

#### PAG 46 Oil Cartridge R-1234yf



### UV 488016P

#### eBoost™ Universal PAG Oil, 16 oz

When used in an air conditioning system eBoost® increases the lubricity and anti-wear properties of A/C oil and rejuvenates rubber seals and O-rings.



### FJC 2732

#### R-12 and R-134a Hand Turn Dye Injector

- 2 oz refillable R12/R134a cylinder for adding oil, dye and STOP LEAK
- Add additive to system without adding refrigerant
- Includes Conversion-Quick Coupler for Servicing R-134a Vehicles



### FJC 2738

#### R-134a Flow-Through A/C Oil Injector

- Add two ounces of oil to an A/C system while under pressure or vacuum
- Add oil or dye without adding refrigerant




### MC 82375 R134a Oil/Dye Injector, 2 oz



### MC 53123-YF

#### Refillable R1234YF Oil Injector

Heavy duty, anodized aluminum, 2 oz container with dye scales represented in 1/10 ounce, 1/4 ounce and milliliters



### RO 10945

#### Large Face Dial Thermometer

- Easy to read face: 1-3/4" dial face.
- 0° to + 220°F



MADE IN THE USA



### MC 52223-A

#### 1" Pocket Digital Thermometer

- -58 to 302°F (-50 to 150°C) Temperature Range
- +/-1°C Accuracy



### MC 52220

#### Pocket Thermometer Temp Range 0°–220° F



### FJC 2795

#### Digital Thermometer

- Auto shutoff
- Fahrenheit or Celsius
- Range: -58–392°F



### FJC 2792

#### Dial Thermometer

- 1" Face with magnifying lens
- Range: 0°–220°F





**FJC 6852**  
**R-1234yf Aluminum Manifold Gauge Set**

- High and low side R-1234yf manual couplers
- 72" Red, Yellow and Blue R-1234yf hoses
- Side hose hangers
- Anti-flutter high and low side gauges with re-calibration adjustment

**FJC 6761**  
**R134a Aluminum Manifold Gauge Set**  
With 72" hoses and quick couplers

**FJC 6850**  
**R-1234yf Aluminum Manifold Gauge Set**

- Manual couplers
- 72" Red, Yellow and Blue R-1234yf hoses
- Side hose hangers
- Anti-flutter gauges with re-calibration adjustment



**MC 83272**  
**R1234YF Aluminum Manifold Gauge Set**

- Anti-flutter gauges
- (3) 60" Hoses
- E-Z to read temperature scales
- E-Z to recalibrate gauges
- Extra large sight glass
- Piston type free-floating valves
- Couplers with extended disconnect protection sleeve

**MC 66661-AYF**  
**R1234yf/R134a Brass Manifold Gauge Set**

Kit includes: (3) 60" hoses, quick couplers, and 2-1/2" Silicone dampened gauges

**MC 84472**  
**R134a Digital Compact 2-Way Manifold**

- Compact Manifold with (3) 72" hoses and R134a manual couplers packaged in a zippered carry case
- Easily perform pressure/temperature calculations
- Unit conversion between MPa, kPa, bar, psi, kg/cm<sup>2</sup>, inHg
- Large 4-digit "blue" backlit LCD display
- Displays alarm indication when over range, celcius or fahrenheit designation and low battery warning directly on the LCD screen
- Large sight glass

**MC 99935**  
**R134a & R1234yf Smart Manifold Gauge Set**

- Includes a set of 72" R134a hoses, R134a manual couplers, and deluxe R134a/R1234yf conversion kit
- 4.3" color touchscreen LCD display
- Automatic shut-off
- Switch between lbs., oz., kg, and ml
- EXTENSIVE PRESSURE READINGS: Get readings in Psi, Bar, Mpa, Kg/cm<sup>2</sup>, and kpa for unmatched versatility
- Digital or analog display
- Built-in refrigerant database
- Over 30 hours of continuous operation on a single charge with the included rechargeable lithium battery



**MC 90066-BL**  
**Black Series 6 CFM Vacuum Pump (Single Stage)**

- Expanded internal oil path creates less friction and ultimately less heat
- Upgraded seals insure maximum vacuum
- U.S. designed and tested
- Easily removable vapor discharge/oil fill port
- Large oil level sight glass with max/min level indicator

**MC 290065-CL**  
**5 CFM Single Stage Vacuum Pump**

- 80 Microns
- 110-120V, 60 Hz
- 1/3 HP
- High efficiency, single stage pump
- 1/4" SAE and 1/2" ACME port access
- Large fan keeps vacuum pump cooler and extends life
- Easy access oil fill port
- Exhaust at oil fill location



**FJC 6909**  
**3 CFM Two Stage Vacuum Pump**

- Two stage performance using twin-port technology™
- Lightning fast design
- Lightweight, durable construction
- Tested-proven-reliable



**FJC 6930**  
**R-1234yf/R-134a SPARK PROOF 5cfm Vacuum Pump**

- Includes a T-adapter for use with R-1234yf and R-134a
- Oil Capacity 12 oz.
- High-volume fan provides cool air to motor and pump
- Safe to use as a replacement pump for recovery machines
- Large oil level sight glass
- Easily accessible oil drain valve



**MC 298210-CL**  
**Electronic Charging Scale**

- Heavy duty load cell, 243 lb capacity
- Resolution of 0.05 lb/0.4 oz. provides accurate measurements
- Large easy to read LCD display / automatic shutoff after 15 minutes





### Manual Couplers

PART #	DESCRIPTION
MC 82934	134a Blue - Low-Side
MC 82834	134a Red - Hi-Side



### R1234yf Couplers

- Meets SAE J639 & J2888
- Extended disconnect protection sleeve


PART #	DESCRIPTION
MC 83834	High Side
MC 83934	Low Side



### Conversion Kits

Easily convert any R134a manifold gauge set to a R1234yf

PART #	DESCRIPTION
MC 83736-K	Deluxe R134a/R1234yf Kit Couplers (83834 & 83934)
MC 63736-K	Economy R134a/R1234yf Kit Quick Couplers (67434 & 67534)



### R134A Service Couplers

MADE IN THE USA

PART #	DESCRIPTION
RO 18190A	Low Side Blue
RO 18191A	High Side Red
RO 18192	SET (18190A & 18191A)



### R134a Manual Couplers

PART #	DESCRIPTION
FJC 6001	High Side Coupler
FJC 6002	Low Side Coupler



### FJC 6803

#### 2 Pc. Low/High Coupler Set

- Includes R-1234yf high and low side couplers with M12 female hose fittings
- High and Low side set – Color coded
- For use with YF Hoses
- Brass Design



### MC 85510 R134a 1/2" Acme-M Can Tap Valve - Screw-On

### MC 85510-YF R1234YF 1/2" ACME-LH Thread Piercing Design Can Tap Valve

- Exclusive "full grip" valve knob
- Built-in safety check
- Meets SAE J2844



### MC 85512 R134a 1/2" Acme-M Self-Sealing Design Can Tap Valve

For use with R134a self-sealing/reusable designed cans




### MC 85512-YF R1234YF 1/2" ACME-LH Thread Self-Sealing Design Can Tap Valve

For use with R1234yf self-sealing/reusable designed cans

### MC 81490 134R Valve Core Remove/Install

Removes and installs valve cores in air conditioning system




### MC 58531 R134a Standard & JRA (M6) Valve Core Kit

Kit covers the most popular R134a valve cores.



### MC 70027 Mini Tube Cutter

For 1/8"–5/8" OD Tubing




### MC 70069A 4-in-1 Tube Bender

Multi-Purpose for 3/16", 1/4", 5/16" and 3/8" OD Tubing



### FJC 6029 R-134a Can Tap for Self-sealing Valve Cans

- Dispensing valve for R-134a hose
- Valve has 1/2 ACME RH thread with depressing actuator
- Solid brass construction, built to last



### LS 35800 6 Pc. Aluminum Disconnect Set

Durable Aluminum Disconnects Work on Air Conditioning Lines and Quick Connect Fuel Lines.

- Disconnect spring lock couplings on Ford and Chrysler air conditioning lines.
- Also works on fuel line quick connect couplings on GM, Ford, and Chrysler.
- Set includes six sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"



### MC 91290 134R Universal Valve Core Remover/Installer

Double ended for easy replacement of Standard and GM R12 Large Bore Valve Cores

### MC 81290 R134A Universal Valve Core Remover

Large Bore



### MC 85530 3-In-1 Can Tap Valve

- Covers 2 7/8", 2-1/2" and 2" charge cans
- Includes 1/2" ACME-M and 1/4" FL-M ports



### FJC 2743 Heavy Duty Large Bore Valve Core Tool



### FJC 6842 4-way Side Can Tap R-12/ R-134a/R-1234yf/Oil Charge

- For use with R-12, R-134a or R-1234yf refrigerant cans and oil charge cans
- 1/2" ACME LH thread
- 1/4" flare male fitting with check valve
- Works with self-sealing OR puncture style cans



**MIL 0818-20**

**M18™ Brushless PACKOUT™ Fan**

- FASTEST 18V PERSONAL FAN
- Cooling air speed up to 20.5 MPH and 850 CFM
- Delivers over 3 hours on high and 6.5 hours at 75% speed
- Integrated AC plug for extended runtime
- 300-degree head rotation to adapt to any job
- Reinforced design for impact, water, and dust resistance



**MIL 0821-20**

**M18™ Brushless 18" Fan - Bare Tool**

- CORDED PERFORMANCE. DURABLE COOLING. TOTAL MOBILITY.
- Air circulation over 50 ft reach and 13.5 MPH air speed
- Reinforced design for impact, water, and dust resistance
- 18" blade allows for quick and efficient cooling, drying, or ventilation
- 360° head rotation
- 3 speed settings: high, medium, low
- Integrated AC plug For extended runtime

**GW GEARWRENCH™**

**GWR GWSFAN24**

**24" 2-Speed High Velocity Shop Fan**

- 2 high velocity fan speeds for varying levels of air flow up to 7200 CFM
- 360 degree tilting fan head for directing air flow wherever needed
- Solid axle 5" wheels for smooth transportation
- Thermally protected heavy duty motor ensures a long life
- Features heavy duty metal construction for superior durability
- Built-in cord wrap provides easy and safe storage
- Heavy duty rubber pads secure fan while in operation



**Big Freeze Air Blower**

- 3-speed switch to adjust air speed
- Two grounded convenience outlets with overload protection for simultaneous use with other power tools & accessories
- 4-position adjustment for concentrated air flow & fast drying
- Built-in carrying handle & cord wrap for easy mobility
- CSA approved

**PORTACOOL™**

**PC PACA05001A1**

**Portacool Apex 500 Portable Evaporative Cooler**

- Cools 500 Sq Ft Space
- High-Velocity Breeze Up To 55 Ft
- Automatic Oscillating Louvers
- Whisper-Quiet Motor Only 53 dB
- 13 Gallon Reservoir With Level Indicator, and Auto Shut-Off
- Portacool CoolSync™ Complete Digital Display With Wi-Fi And Smart Phone App

**PC PACA07001A1**

**Portacool Apex 700 Portable Evaporative Cooler**

- Cools 700 Sq Ft Space
- High-Velocity Breeze Up To 60 Ft
- Automatic Oscillating Louvers
- Whisper-Quiet Motor Only 53 dB
- 22 Gallon Reservoir With Level Indicator, and Auto Shut-Off
- Portacool CoolSync™ Complete Digital Display With Wi-Fi And Smart Phone App.

**PC PACA12001A1**

**Portacool Apex 1200 Portable Evaporative Cooler**

- Redesigned 19" Fan Assembly Cools Up To 1200 Sq.Ft.
- High-Velocity Breeze Up To 40 Ft
- Whisper-quiet Motor Only 51 dB
- 40 Gallon Reservoir With Level Indicator, and Auto Shut-Off
- New Housing Keeps Cords And Connections Neatly Tucked Away In Back
- Portacool CoolSync™ Complete Digital Display With Wi-Fi And Smart Phone App.



PART #	DESCRIPTION
FJC 61200	300W / 1200CFM
FJC 60300	180W / 300CFM



**Mastercool®**  
"World Class Quality"



**MC 20300-A**

**Blower Fan – 300 CFM**

- For indoor or outdoor use
- 3 speed switch (high, medium, low)
- Built-in overload protection
- (2) 11 Amp Grounded Receptacles
- 8.5' Cord, SJTW 14AWG
- 4-Position adjustment feet
- Rated power: 1.0 Amp



OEM TOOLS

**Mastercool**<sup>®</sup>  
"World Class Quality"

**OEM 23968**  
**3-Speed Evaporative Cooler**  
**Portable Cooler Fan**

- Evenly cools up to 950 square feet, delivering 3100 CFM of cooling air power
- High-density media panels that provide 80% more surface area for evaporation, cooling air more quickly than regular density panels

**OEM 23969**  
**Swamp Cooler Air Conditioner Portable**

- Delivers 5300 CFM to cool up to 1600 square feet efficiently
- Uses less energy than traditional air conditioners
- High-density media panels that provide 80% more evaporation surface, enhancing cooling to make room cold.



**Mastercool**<sup>®</sup>  
"World Class Quality"

**MC 91046-A**  
**A/C Flush System Kit**


- Cleans debris or removes oil from most mobile A/C systems
- Includes flush gun, hose, canister and canister adapter



**Recovery/Recycle/Recharge Machines**

- Design certified for compliance with SAE J2788 (**COMMANDER1100 ONLY**)
- 10" Color Command Center with Touch Screen
- Manual Procedures (**COMMANDER1100 ONLY**)
- Automatic Vacuum Leak Test: Programmable
- Auto Oil Discharge
- Auto and Manual Air Purge
- Auto Filter and Full Tank Alarm
- Low Refrigerant Alarm
- Cylinder Heater
- Vacuum Pump
- Made in USA
- Automatic Self-Diagnostic Check
- Wi-Fi Capable
- Mastercool Dust Cover

PART #	DESCRIPTION
MC COMMANDER1100	R134A Semi-Automatic R/R/R Machine
MC COMMANDER2100	R134A Fully Automatic R/R/R Machine



**MC 69110**  
**R134a Automotive A/C Recovery System**

- Recovers and removes oil from refrigerant
- 1/2 HP oil-less compressor
- Designed certified to meet SAE J2810
- Includes recovery unit, 30 lb DOT tank, hoses, manual couplers and oil purge bottle

**ROBINAIR**



**RO 34288NI**  
**Cool-Tech Economy R134 Recover/**  
**Recycle/Recharge Machine**

- Meets SAE J-2788 standards for accuracy: 95% refrigerant recovery and charging to +/- 1/2 oz
- Automatic air purge
- Refrigerant charging
- Refrigerant management
- Vacuum function
- New 4.3" multilingual display

**S.U.R.®**  
Vehicle Paint Line Repair Solutions



**SRR AC1387**  
**Deluxe A/C Line Repair Kit**  
**Kit Includes 87 Pieces & 20' Hose**

- On-the-car repairs made simple
- Make connections easily by hand;
- Conforms to SAE J2064 specifications for low permeability
- Repair damaged rubber and aluminum lines
- Covers most common line sizes
- Includes compression unions and line adapters designed specifically for A/C repair applications
- Pressure rated up to 600 psi

MADE IN THE USA

**FJC**



**FJC 6016**  
**R134a Tank Adapter**

- Attaches to tank and Lowside Service Coupler
- 1/2" ACME RH female thread

**TRACERLINE**<sup>®</sup>



**DY LF60CS**  
**R-1234yf Adapter**

**GW GEARWRENCH**



**GWR GWSFAN20  
20" 3-Speed High Velocity Shop Fan**

- 3 high velocity fan speeds for varying levels of air flow up to 4500 CFM
- Powder coated finish for superior corrosion resistance
- Adjustable tilting head for customized positioning
- Copper motor ensures lasting durability
- Heavy duty rubber pads secure fan while in operation
- Integrated carry handle for easy maneuverability
- All-metal construction for ultimate strength
- Built-in cord wrap provides easy and safe storage



**ROBINAIR**

**RO AC1234-4  
Premier R-1234yf Recover, Recycle and Recharge Machine**

- Fully automatic operation
- Automatic internal tank refill
- Automatic oil drain and air purge
- Integrated refrigerant identifier
- Programmable vacuum operation
- System leak test
- Liquid refrigerant flushing function
- Meets and exceeds SAE J2843



**Lisle**



**LS 39850  
Master Plus Disconnect Set**

- Most Popular Disconnect Tools in One Handy Molded Case.
- Includes fuel line quick connect and spring lock couplings, air conditioning line couplings, and transmission oil cooler connectors.

MADE IN THE **USA**

**LEAKFINDER**



**DY LF400  
LEAKFINDER® Cordless LED  
Leak Detection Flashlight**

- Power comparable to high intensity 75-watt lamps
- Inspection range of 6 feet

MADE IN THE **USA**

**FJC**



**FJC 6820  
R-1234yf Conversion Kit  
with Manual Couplers**

Use to convert R-12 or R-134a Manifold gauge sets to connect to R-1234yf Mobile A/C systems



**FJC 2724  
R-1234yf Hand Turn Oil Injector**

- Great for introducing dye, lubricant, or leak stop to a closed a/c system
- Does not require manifold gauge to use on low side of pressurized systems
- 2 oz refillable oil and dye injector
- Heavy Duty aluminum construction
- Quick connect style for R-1234yf systems

**Mastercool**  
"World Class Quality"



**MC 89661-AYF  
R1234yf/R134a Aluminum  
Manifold Gauge Set**

Kit includes: (3) 60" hoses, manual couplers, and 2-1/2" Silicone dampened gauges



**MC 52224-A-SP  
I/R Thermometer Kit With Dial Thermometer**

- Temp range: -4°F-932°F (-50°C-500°C)
- 8 to 1 Field of view